

All India Council for Technical Education

(A Statutory body under Ministry of HRD, Govt. of India)

Nelson Mandela Marg, Vasant Kunj, New Delhi-110070 Website: www.aicte-india.org



APPROVAL PROCESS 2018-19

Extension of Approval (EoA)

F.No. Northern/1-3511778838/2018/EOA

Date: 30-Apr-2018

To,

The Principal Secretary (Tech. Edu.)
Govt. of Uttar Pradesh,
Sachiv Bhawan, Lucknow-226001,
12A, Navin Bhawan,
U.P. Lucknow-226001

Sub: Extension of Approval for the Academic Year 2018-19

Ref: Application of the Institution for Extension of approval for the Academic Year 2018-19

Sir/Madam,

In terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions) Regulations 2016 notified by the Council vide notification number F.No.AB/AICTE/REG/2016 dated 30/11/2016 and amended on December 5, 2017 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to

Permanent Id	1-1513701431	Application Id	1-3511778838
Name of the Institute	GOVERNMENT POLYTECHNIC	Name of the Society/Trust	GOVERNMENT POLYTECHNIC
Institute Address	VILL SUTAVALI TEH- HASANPUR DIST J P NAGAR, SUTAVALI, J P NAGAR, Uttar Pradesh, 244255	Society/Trust Address	VILL SUTAVALI, TEH HASANPUR, DISTT J P NAGAR, J P NAGAR, J P NAGAR, Uttar Pradesh, 244255
Institute Type	Government	Region	Northern

Opted for Change from Women to Co-Ed and vice versa	No	Change from Women to Co-Ed and vice versa Approved or Not	NA
Opted for Change of Name	No	Change of Name Approved or Not	NA
Opted for Change of Site	No	Change of Site Approved or Not	NA
Opted for Conversion from Degree to Diploma or vice versa	No	Conversion for Degree to Diploma or vice versa Approved or Not	NA
Opted for Organization Name Change	No	Change of Organization Name Approved or Not	NA

To conduct following Courses with the Intake indicated below for the Academic Year 2018-19

Program	Shift	Level	Course	FT/PT+	Affiliating Body (Univ/Body)	Intake Approved for 2018-19	NRI Approval Status	PIO / FN / Gulf quota/ OCI/ Approval Status	Foreign Collaboration /Twining Program Approval Status*
ENGINEERING AND TECHNOLOGY	1st	DIPLOMA	MECHANICAL ENGINEERING (PROD)	FT	Uttar Pradesh Board of Technical Education, Lucknow	30	NA	NA	No
ENGINEERING AND TECHNOLOGY	1st	DIPLOMA	CHEMICAL ENGINEERING (PETRO CHEMICAL)	FT	Uttar Pradesh Board of Technical Education, Lucknow	30	NA	NA	No
ENGINEERING AND TECHNOLOGY	1st	DIPLOMA	CHEMICAL ENGINEERING	FT	Uttar Pradesh Board of Technical Education, Lucknow	30	NA	NA	No

Deficiencies Noted based on Self Disclosure	
Particulars	Deficiency
Other Facilities Deficiency	
Telephone & FAX	Yes
Compliance of the National Academic Depository(NAD) as per MHRD Directives	Yes
Provision to watch MOOCS Courses through Swayam	Yes
Applied membership-National Digital Library	Yes
Online Grievance Rederssal Mechanism	Yes
Administrative Area Deficiency	
Board Room	Yes
Office All Inclusive	Yes
Department Offices/Cabin for Head of Dept	Yes
Maintenance	Yes
Housekeeping	Yes
Pantry for Staff/Faculty	Yes
Exam Control Office	Yes
Training Placement Office	Yes
Amenities Area Deficiency	
Boys Common Room	Yes
Girls Common Room	Yes
Cafeteria	Yes
Stationery Store	Yes
Faculty Deficiency	
Computational Facilities	
Internet Bandwidth	Yes
Printers	Yes
Legal Application S/W	Yes
Legal System S/W	Yes
PCs to Student ratio	Yes
Internet Bandwidth-Applied Intake	Yes
Printers-Applied Intake	Yes
Legal Application S/W-Applied Intake	Yes
Legal System S/W-Applied Intake	Yes
PCs to Student ratio-Applied Intake	Yes
Library Facilities	
Volumes	Yes
Titles	Yes
National Journals	Yes
Library Management Software	Yes
Reading Room Capacity	Yes
MultiMediaPC	Yes
Instructional Area Common Facilities	
Computer Center	Yes
Library & Reading Room	Yes
Language Laboratory	Yes
Instructional Area- ENGINEERING AND TECHNOLOGY-Diploma	
ClassRooms	Yes
Tutorial Room	Yes
Additional Workshop/Labs	Yes
Laboratories	Yes
Drawing Halls	Yes
Seminar Hall	Yes

*Please refer Deficiency Report for details

GOVERNMENT POLYTECHNIC is hereby informed to submit the compliance of the deficiencies mentioned above to the Regional Office within a period of **6 months** from the date of issuance of this letter failing which the council shall initiate strict action as defined in Approval Process Handbook 2018-19 during the subsequent Academic Year.

In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.

Strict compliance of Anti-Ragging Regulation: - Approval is subject to strict compliance of provisions made in AICTE Regulation notified vide F. No. 37-3/Legal/AICTE/2009 dated July 1, 2009 for Prevention and Prohibition of Ragging in Technical Institutions. In case Institution fails to take adequate steps to Prevent Ragging or fails to act in accordance with AICTE Regulation or fails to punish perpetrators or incidents of Ragging, it will be liable to take any action as defined under clause 9(4) of the said Regulation.

Prof. A.P Mittal
Member Secretary, AICTE

Copy to:

1. The Regional Officer,
All India Council for Technical Education
Govt. Polytechnic Campus
Adjoining Directorate of Technical Education
Vikas Nagar, Kanpur-208 002, Uttar Pradesh
2. The Director Of Technical Education**,
Uttar Pradesh
3. The Registrar**,
Uttar Pradesh Board of Technical Education, Lucknow
4. The Principal / Director,
GOVERNMENT POLYTECHNIC
VILL SUTAVALI TEH- HASANPUR DIST J P NAGAR,
SUTAVALI, J P NAGAR,
Uttar Pradesh, 244255
5. The Secretary / Chairman,
GOVERNMENT POLYTECHNIC
VILL SUTAVALI, TEH HASANPUR, DISTT J P NAGAR,
J P NAGAR, J P NAGAR,
Uttar Pradesh, 244255
6. Guard File(AICTE)

Note: Validity of the Course details may be verified at <http://www.aicte-india.org/>

** Individual Approval letter copy will not be communicated through Post/Email. However, consolidated list of Approved Institutions(bulk) will be shared through official Email Address to the concerned Authorities mentioned above.